

# ICD-10-CM Updates!

ICD-10- CM coding classification has new, updated codes. As a result, the Texas Cancer Registry (TCR) will be adding new ICD-10 CM coding codes to our current comprehensive casefinding list effective October 1, 2016.

The codes listed below will be effective as of October 1, 2016 and forward.

## Neoplasm Code Updates

### Gastrointestinal stromal tumor

A new subcategory **C49.A-** (*Gastrointestinal stromal tumor*) has been created, and the Neoplasm Table and Index have been updated accordingly:

- **C49:** Malignant neoplasm of other connective and soft tissue.
  - C49.A:** Gastrointestinal stromal tumor.
    - C49.A0:** Gastrointestinal stromal tumor, unspecified site.
    - C49.A1:** Gastrointestinal stromal tumor of esophagus.
    - C49.A2** Gastrointestinal stromal tumor of stomach.
    - C49.A3:** Gastrointestinal stromal tumor of small intestine.
    - C49.A4:** Gastrointestinal stromal tumor of large intestine.
    - C49.A5:** Gastrointestinal stromal tumor of rectum.
    - C49.A9:** Gastrointestinal stromal tumor of other sites.

There is also an Excludes2 Note for GIST under the regular GI malignancy codes (**C15-C26**) in the Tabular List.

## Prostate

There is a new note under prostate cancer (code **C61**) to use additional codes for hormone sensitivity status (new codes **Z19.1-Z19.2**) and/or rising PSA following treatment (new code **R97.21**):

- **C61**: Malignant neoplasm of prostate.  
Use additional code to identify: Hormone sensitivity status (**Z19.1-Z19.2**).  
Rising PSA following treatment for malignant neoplasm of prostate (**R97.21**).

As indicated above, two new codes have been created to indicate whether a malignant neoplasm is sensitive to hormones:

- Hormone sensitivity malignancy status (**Z19**).  
Code first malignant neoplasm—see Table of Neoplasms, by site, malignant.

**Z19.1**: Hormone sensitive malignancy status.

**Z19.2**: Hormone resistant malignancy status.

Castrate resistant prostate malignancy status.

- Abnormal tumor markers (**R97**).

**R97**: Abnormal tumor markers.

**R97.2**: Elevated prostate specific antigen [PSA].

**R97.20**: Elevated prostate specific antigen [PSA].

**R97.21**: Rising PSA following treatment for malignant neoplasm of prostate.

## Hodgkin lymphoma

In category **C81** (Hodgkin lymphoma), the term “classical” has been deleted from all code definitions and added as an inclusion term for the category. For example, new code descriptors for Nodular Sclerosis are:

- **C81:** Hodgkin lymphoma.
  - C81.1:** Nodular sclerosis Hodgkin lymphoma.  
Nodular sclerosis classical.  
Hodgkin lymphoma.
  - C81.10:** Nodular sclerosis Hodgkin lymphoma unspecified site.
  - C81.11:** Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck.
  - C81.12:** Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes.
  - C81.13:** Nodular sclerosis Hodgkin lymphoma, intraabdominal lymph nodes.
  - C81.14:** Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb.
  - C81.15:** Nodular sclerosis Hodgkin lymphoma, lymph nodes inguinal region, lower limb.
  - C81.16:** Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes.
  - C81.17:** Nodular sclerosis Hodgkin lymphoma, spleen.
  - C81.18:** Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites.
  - C81.19:** Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites.

## Castleman disease

There is a new code (**D47.Z2**) for Castleman disease, a type of lymphoproliferative disorder, with a Code Also note for herpesvirus 8 infection and an Excludes2 note for Kaposi’s sarcoma:

- **D47:** Other neoplasms of uncertain behavior of lymphoid, hematopoietic, and related tissue.
  - D47.Z:** Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic, and related tissue.
  - D47.Z2:** Castleman disease. Code also if applicable human herpesvirus 8 infection (**B10.89**). Excludes2: Kaposi’s sarcoma (**C46-**).

The new ICD-10-CM code listing will also be available on our website: [ICD-10 CM Updates](#)